

Pioneering high voltage.

## Resin Impregnated Synthetic

Ø

The latest generation of innovative bushings

0

Picture: Vision of the "Transformer 2020" developed by TRANSFORM partner network / Image designed by Design Tech, Germany



# An innovative development: paper-free bushings

Our bushings made using the proven RIP (Resin Impregnated Paper) technology include materials such as special paper, vacuum impregnated with epoxy resin. While paper is a good isolator, it is also hygroscopic, in other words it absorbs humidity from the surrounding atmosphere. This humidity can have a negative impact in terms of power dissipation and ageing of the bushings, which HSP has been able to reduce significantly thanks to a labor-intensive process during manufacture. This process is time-consuming, however, and increases the costs accordingly.

Following an intensive program of research and development, we have replaced the special paper in our bushings with a plastic web with homogeneous material properties and minimal moisture absorption that substantially reduces the disadvantages described above or removes them entirely.

The design of our new paper-free bushings is based on the RIP technology that has been proven in use for more than 60 years now, while making a huge improvement. RIS (Resin Impregnated Synthetic) bushings are characterized by their extremely stable dielectric properties, which are attributable in part to the major reduction in moisture absorption at exposed active surfaces, e.g. the oil end of transformer bushings.



### A technology for all designs



Water absorption (storage in water)

#### Advantages

Not sensitive to humidity Highly stable dielectric properties Homogeneous material properties Reduced ageing effect compared to paper Optimized production process Positive effect on service life





Active component (RIP)

Active component (RIS)

A visual indicator for the new technology is the whiter color of the active component, compared to the brown shade of the active component with RIP technology. The new RIS technology can be used for all different designs in our product range. The SETFt bushing made with RIP is designated SE**S**TFt when made with RIS, for example, EKTG becomes E**S**KTG, and so on. Our sales representatives will be happy to draw up a personalized quote for you.

#### **RIS** in practical use

Bushings using this technology have already been manufactured and are now being used by selected customers. The first utilities have incorporated our RIS bushings in their networks, enabling us to gain first operational experience.



Published and copyright © 2022:

HSP Hochspannungsgeräte GmbH Camp-Spich-Str. 18 53842 Troisdorf-Spich Germany

 Phone:
 +49 (0) 22 41/25 26-0

 Fax:
 +49 (0) 22 41/25 26-116

 E-mail:
 contact@hspkoeln.de

#### www.hspkoeln.de

All rights reserved. Brands and trademarks used in this document are the property of HSP Hochspannungsgeräte GmbH.

Subject to change without prior notice. The information in this document contains general descriptions of the technical options which are not necessarily available in every single case. The required features must therefore be defined in each individual case when concluding the contract.